14


A B C D E F G
Sec. 1 Sec. 2 Sec. 3 Sec. 4 Sec. 5 Sec. 6
Sec. 7 Sec. 9 Sec. 10 Sec. 11 Sec. 12
Sec. 13 Sec. 14 Sec. 15 Sec. 16 Sec. 17 Sec. 18
Sec. 19 Sec. 20 Sec. 21 Sec. 22 Sec. 23 Sec. 24
Sec. 25 Sec. 26 Sec. 27 Sec. 28 Sec. 29 Sec. 30
Sec. 31 Sec. 32 Sec. 33 Sec. 34 Sec. 35 Sec. 36
A 171.44 A 167.42 A 164.38 A 164.64 A 159.84 A 155.60 A 151.34 A 149.92 A 149.76 A 147.34 A 148.24
A 160
Acres 640
Y X W V U T S R Q P O N
H I K L M
Scale of forty chains to an inch
True Meridian
Variation 6° 20' E.

Township No. XIV North, Range No. IV West of 2nd Meridian. Ind. Surveyed by **John Collett**. 1819.

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c.	Between Sections	Quality &c.	Between Sections	Quality &c.
35&36	South ½ rolling 2nd rate, North ½ level Beech. Sugar. Ash. Mugt Spice	2&3	South ½ bottom. North ½ broken. Beech. W. Oak. Sugar	4&9	Rolling & Broken. Beech. Oak. Sugar. Poplar
25.36	Level 2nd rate Beech. Oak. Sugar. Mugt Spice	33&34	Rolling & broken 2nd rate Beech. Sugar & W. Oak	4.5	Same (South ½ Hilly)
25.26	Same. W & R Oak. Beech. Sugar. Hickory. Mugt Spice	27.34	Rolling 2nd rate Timber Same with Poplar	31.32	Rolling good 2nd rate Sugar. Beech. Walnut. Poplar &c.
24.25	Same Beech. Sugar. W. Oak. Poplar	27.28	Same	29.32	Same
23.24	Same	22.27	Same	29.30	Same
13.24	Same	21.22	Same	20.29	Same (part Hilly)
13.14	South ½ Same. North ½ rolling Beech. Sugar, Walnut. B. Ash	15.22	Same (West ½ broken)	19.20	Same (part good bottom)
12.13	Rolling good 2nd rate. Walnut. Sugar. Beech. B. Ash. W. Oak	15.16	Rolling & broken 2nd rate Beech. Sugar. Hickory. W. Oak	17.20	Same
11.12	Same	10.15	Same	17.18	South ½ bottom. North ½ broken 2nd rate W. Oak Walnut & (Sugar
1.12	Same	9.10	Same (part bottom)	8.17	Rolling 2nd rate Beech. Sugar. W. Oak
1.2	Same (North ½ bottom with Hackberry	3.10	Very hilly & Broken 2nd rate Beech. Hickory & W. Oak	7.8	Same (broken)
34.35	Rolling 2nd rate Beech. Sugar. W. Oak	3.4	Broken. 2nd rate Beech. Sugar. W. Oak	5.8	Same
26.35	Same (level)	32.33	Rolling & rich Walnut. Sugar. Beech. Ash	5.6	Same (South ½ broken)
26.27	Same	28.33	Same	30.31	Fallen timber
23.26	Same	28.29	Same	19.30	East ½ Rolling part bottom Walnut. Sugar. Ash. W. Oak
22.23	Same	21.28	Rolling good 2nd rate Walnut. Sugar. Poplar. Ash	18.19	Rolling & rich 2nd rate timber Same
14.23	Level & rich 2nd rate Beech & Poplar	20.21	Rolling broken 2nd rate Beech. Oak. Poplar. Sugar	7.18	Part rolling & broken Beech. W. Oak. Sugar
14.15	Same. 1st rate Beech. Sugar. W. Walnut & Ash	16.21	Rolling 2nd rate Walnut. Beech. Sugar. Poplar. Ash	6.7	Rolling good 2nd rate Same with Walnut & Ash
11.14	Rolling 2nd rate Beech. Sugar & W. Oak	16.17	Same		
10.11	South ½ rolling 2nd rate North ½ level 1st rate	9.16	Same (rich)		
2.11	rolling & rich Beech. Sugar & Walnut	8.9	South ½ 2nd rate bottom. North ½ Hilly & Broken		

IND

Township No. 14 North, Range No. 4 West of 2nd Mer.

Posts	Bearing trees	Inches diam.	Courses they bear	Links dist.	Quality of the soil
A	Sugar	18	S 22 E	18	
	Beech	11	N 13 W	28	
a					
B	Buckeye	10	N 32 W	6	
	Sugar	6	N 61 E	5	
b					
C	Hickory	12	S 81 E	19	
	Beech	12	N 53 E	24	
c					
D	Beech	10	S 85 W	10	
	Ironwood	8	N 54 E	10	
d					
E	B. Ash	10	N 31 W	30	
	Hickory	10	S 36 E	21	
e					
F	Sugar	10	S 2 W	19	
	do	18	N 2 W	8	
f					
G	Elm	10	S 70 W	7	G to H. Level good farming land Beech Sugar & some Walnut
	Hickory	4	N 57 E	14	
g	Sugar	14	N 36 E	15	
	do	8	S 76 W	8	
H	Beech	9	N 72 E	9	H to I Same
	Sugar	9	N 74 W	25	
h	Beech	18	S 14 E	7	
	Sugar	9	S 67 W	6	
I	Sugar	12	S 8 E	11	I to K Same
	do	8	N 49 E	22	
i	Beech	24	S 15 E	37	
	Sugar	5	N 50 W	24	
K	Beech	18	S 46 E	16	K to L Rolling good farming land
	do	9	N 53 E	14	
k	W. Beech	5	N 67 E	13	
	Buckeye	6	S 69 W	14	
L	Sugar	5	S 21 E	19	L to M Same
	Beech	8	N 46 E	19	
l	Sugar	11	N 40 W	5	
	Maple	18	S 55 E	36	
M	Elm	24	S 13 W	25	M to N Same
	Thorn	4	N 45 W	7	
m	Beech	14	N 75 E	4	
	do	18	S 6 W	17	
N	Beech	30	N 10 E	30	N to O. Rolling good farming land Beech Sugar & Ash
	W. Beech	5	S 37 W	10	
n	B. Walnut	26	Corner		
O	W. Oak	30	Corner		O to P Same
o	Sugar	9	N 27 W	6	
	do	18	S 60 W	20	
P	Sugar	24	S 58 W	15	P to Q Same
	do	10	N 58 E	5	
p	Sugar	12	S 80 W	30	
	do	12	S 62 E	8	
Q	Beech	10	N 68 W	7	Q to R Same
	do	10	S 39 E	18	
q	Beech	9	East	9	
	W. Ash	6	N 35 W	40	
R	Buckeye	15	N 27 W	16	R to S Same
	Sugar	20	East	35	
r	Beech	20	N 69 E	10	
	W. Walnut	4	S 7 W	10	
S	Beech	8	N 14 E	25	S to T Same
	Sugar	14	S 24 W	3	
s	Beech	12	S 77 W	10	
	do	8	S 64 E	32	
T	Beech	24	N 49 W	46	
	do	20	S 81 E	30	
t					
U	Beech	12	N 3 W	14	
	Sugar	15	S 15 E	20	
u					
V	Beech	10	N 43 W	15	
	do	30	N 63 E	27	
v					
W	Sugar	8	N 52 E	[illegible]	
	Hickory	24	S 15 W	34	
w					
X	Sugar	12	N 45 E	17	
	do	12	S 40 W	16	
x					
Y	Hickory	10	S 40 E	25	
	Sugar	10	N 12 E	24	
y					

Interior Section Corners described

Corners of Sections	Bearing trees	Inches diam.	Courses they bear	Links dist.
25.26.35.36	Sugar	10	N 30 W	9
	Elm	18	South	11
23.24.25.26	Beech	12	N 39 E	37
	do	26	N 78 E	10
13.14.23.24	Ash	30	N 15 W	11
	Beech	10	West	6
11.12.13.14	Sugar	18	S 15 W	24
	do	14	N 15 E	31
1.2.11.12	Sugar	7	N 54 W	8
	Beech	10	S 48 E	30
26.27.34.35	Hickory	10	S 87 E	15
	W. Oak	20	S 35 W	9
22.23.26.27	B. Ash	12	N 64 E	10
	Beech	10	N 61 W	20
14.15.22.23	W. Walnut	20	S 26 W	11
	Hickory	10	N 43 E	29
10.11.14.15	Beech	34	N 66 W	20
	Sugar	5	N 63 E	40
2.3.10.11	W. Oak	8	S 44 E	19
	Hickory	6	S 68 W	40
27.28.33.34	Sugar	14	S 55 E	21
	B. Oak	39	N 83 W	24
21.22.27.28	Sugar	14	N 62 E	20
	do	6	S 25 W	29
15.16.21.22	Beech	20	N 77 E	16
	do	24	N 18 W	27
9.10.15.16	Sugar	12	S 40 E	13
	Sycamore	30	S 81 W	18
3.4.9.10	Sugar	12	N 53 E	19
	do	5	S 80 W	30
28.29.32.33	Cherry	4	N 72 W	21
	Buckeye	3	N 82 E	23
20.21.28.29	Sugar	14	S 7 W	15
	do	14	N 20 E	24
16.17.20.21	Beech	18	S 52 W	25
	Sycm	10	N 52 E	38
8.9.16.17	B. Walnut	28	N 57 W	15
	Buckeye	7	S 79 E	10
4.5.8.9	Ironwood	7	N 53 W	6
	do	7	N 77 E	11
29.30.31.32	Elm	7	S 28 W	6
	W. Walnut	7	N 46 E	6
19.20.29.30	Ash	12	N 73 W	25
	Hickory	14	S 31 E	13
17.18.19.20	Beech	12	N 20 E	26
	Hackberry	6	S 35 W	7
7.8.17.18	Beech	12	N 45 E	12
	do	30	S 56 W	26
5.6.7.8	Hickory	8	N 22 E	13
	B. Ash	12	S 15 W	11

Interior Quarter Section Corners described

From & to	Bearing trees	Inches diam.	Courses they bear	Links dist.
M to U at 1	Beech	12	S 60 W	14
	do	12	S 39 E	18
2	Beech	27	N 25 W	10
	do	10	S 26 W	31
3	Sugar	24	N 30 W	21
	do	10	S 5 W	11
4	Buckeye	12	S 32 E	17
	W. Walnut	6	N 21 E	30
5	Sugar	18	S 24 E	40
	Beech	10	N 4 E	23
6	Beech	6	N 86 W	8
	do	6	S 4 E	6
L to V 1	Sugar	12	S 76 E	18
	do	10	N 38 W	20
2	Sycm	20	S 50 E	27
	Beech	15	N 53 W	31
3	Elm	9	S 27 E	22
	W. Walnut	10	N 16 W	18
4	Beech	6	S 26 W	14
	W. Walnut	4	N 63 W	25
5	Beech	10	N 7 E	43
	Sycm	9	S 17 E	17
6	Sugar	14	N 60 W	31
	Hackberry	10	S 53 W	24
K to W 1	Ash	12	S 6 W	31
	Sugar	10	S 61 W	18
2	Beech	30	S 23 W	24
	do	6	N 12 W	24
3	Sycm	24	N 15 E	14
	Sugar	10	S 16 W	40
4	W. Walnut	14	N 36 W	3
	Sugar	12	S 5 E	36
5	Beech	24	N 54 E	29
	Sugar	10	N 78 W	17
6	Hackberry	12	S 25 E	17
	Beech	10	S 25 W	16

Interior Quarter Section Corners contd.

From & to	Bearing trees	Inches diam.	Courses they bear	Links dist.
I to X at 1	B. Ash	11	N 28 W	15
	do	6	S 4 E	18
2	Beech	20	N 35 E	10
	Sugar	[illegible]	S 41 E	9
3	Beech	6	S 20 E	13
	Sugar	12	S 43 W	14
4	Buckeye	14	N 54 W	15
	Elm	18	S 45 E	20
5	Sugar	20	N 14 E	3
	Beech	24	S 7 E	41
6	R. Oak	30	N 46 E	29
	Sugar	8	S 45 E	22
H to Y 1	Hickory	20	N 54 W	30
	Beech	20	S 77 E	25
2	B. Walnut	30	S 5 E	38
	W. Walnut	12	N 11 W	38
3	Sugar	18	S 67 W	25
	Elm	10	N 46 E	30
4	Elm	16	S 60 W	14
	do	12	N 84 E	17
5	Sugar	12	N 18 W	17
	Beech	15	S 12 W	44
6	Beech	24	West	26
	Sugar	20	N 52 W	26
O to P 1	Sugar	12	N 84 W	31
	Hornbeam	6	S 45 W	18
2	Beech	10	N 84 W	8
	do	12	N 3 E	30
3	Beech	28	N 44 W	7
	do	18	N 50 E	24
4	Beech	30	N 27 E	6
	Sugar	10	N 36 W	25
5	Hickory	10	S 35 W	2
	Beech	14	N 46 E	28
6	Walnut	10	N 61 W	17
	Buckeye	10	S 29 W	6
P to E 1	do	8	N 74 W	41
	Sugar	13	N 65 E	39
2	W. Walnut	4	N 59 E	14
	Sugar	10	S 40 W	24
3	Beech	10	S 75 W	19
	Sugar	12	N 87 E	11
4	Beech	12	N 54 E	13
	Sugar	6	N 89 W	15
5	Ironwood	4	N 42 E	6
	Sugar	20	N 77 W	33
6	R. Oak	38	S 65 W	5
	Sugar	10	S 48 E	6
Q to D 1	Blue Ash	12	N 25 E	28
	Sugar	14	S 56 E	36
2	Sugar	10	N 62 W	17
	Beech	5	S 85 E	6
3	Ash	24	N 45 E	5
	W. Walnut	12	S 62 W	15
4	Hickory	14	S 71 W	10
	W. Oak	24	S 88 E	19
5	Buckeye	10	S 59 W	25
	do	8	N 42 E	30
6	Sugar	15	N 17 E	17
	do	16	S 5 W	25
R to C 1	Sugar	12	N 77 W	8
	B. Walnut	12	S 80 E	19
2	Beech	12	S 80 W	30
	do	12	S 79 E	15
3	Elm	8	N 83 W	49
	Sugar	20	South	
4	Beech	20	S 79 E	17
	Hickory	14	N 48 W	6
5	Sugar	10	N 84 W	11
	Buckeye	12	S 12 E	20
6	Ash	20	S 43 E	20
	Sugar	12	N 60 W	13
S to B 1	Beech	20	N 64 W	19
	do	12	S 76 E	25
2	Sugar	18	S 35 E	20
	do	9	N 40 E	18
3	Maple	6	N 9 W	56
	Sycamore	6	S 47 W	55
4	Sugar	18	N 15 E	34
	do	8	S 55 E	17
5	B. Walnut	30	N 75 W	17
	Sugar	10	S 43 E	19
6	Ash	15	S 67 W	28
	Beech	14	N 57 E	24

HQ

NATIONAL ARCHIVES OF THE UNITED STATES
CARTOGRAPHIC RECORDS RG 49

Township No XIV North, Range No IV West of 2nd Mer.

IND



Acres Dec

Total quantity 22.124.32

3

INDIANA.
N & W 2 P. M.

96-B

A true Copy from the Original, on file in this Office.

Surveyor Generals Office. March 2nd 1820

Edward Tiffin Sur. Gen.

61

1616/1

Township N.° XIV, North, Range N.° IV West of 2nd Mer.



A true Copy from the Originals, on file in this [illegible] Surveyor Generals Office. March 2nd 1870.